



Safety Data Sheet

Formula No: 2404
Revision Date: 27 JAN 2023
Superseded Date: 24 OCT 2017

Mirachem Alkaline Cabinet Wash

1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

Product name: Mirachem Alkaline Cabinet Wash
Identified uses: Concentrated industrial cleaner for use in industrial cabinet washers.
Use Restrictions: Use only for the purposes indicated on the label.

Company: Mirachem, LLC
P.O. Box 14059
Phoenix, Arizona 85063-4059
USA

Email address: SDS@mirachem.com
Customer service: USA (English) Telephone: 1 (800) 847-3527

Emergency phone number(s): USA (English, Business Hours) Telephone: 1 (800) 847-3527
Chemtrec (US, 24 hours) Telephone: 1 (800) 424-9300

2. HAZARD(S) IDENTIFICATION

GHS Classification

SKIN CORROSION/IRRITATION: Category 2
EYE DAMAGE/IRRITATION: Category 2A

GHS Label Elements

Pictogram



Signal word

Warning

Hazard statements

Causes skin irritation. (H315)
Causes serious eye irritation. (H319)

Precautionary Statements

Prevention:

Do not breathe dusts or mists (P260)
Wash hands thoroughly after handling (P264)
Wear protective gloves/eye protection/face protection (P280)
Avoid release to the environment. (P273)

Response:

IF ON SKIN: Wash with plenty of water. (P302 + P352) If skin irritation occurs: Get medical advice/attention. (P332 + P313) Take off contaminated clothing and wash it before reuse. (P362 + P364) If skin irritation occurs: Get medical advice/attention. (P332 + P313)
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338) If eye irritation persists: Get medical advice/attention. (P337 + P313)

Storage:

None required.

Disposal:

Dispose of contents/container in accordance with local/ regional/ national/ international regulations. (P501) See SECTION 13 – DISPOSAL CONSIDERATIONS, for additional waste disposal information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical characterization: Mixture (water based)

Ingredient:	CAS Number	Percent
Proprietary surfactant blend *	Proprietary	5 - 10
Silicic Acid, potassium salt	1312-76-1	1 - 5

* Composition of this ingredient is a trade secret.

4. FIRST AID MEASURES

Protection of First-Aiders:	First aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION, for specific personal protective equipment.
Inhalation:	No adverse effects are anticipated. Remove to fresh air. If breathing is difficult, get medical assistance.
Eye contact:	May cause serious eye damage. Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately seek medical attention.
Ingestion:	If swallowed, treat symptomatically and supportively. Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. If adverse health effects develop, persist or are severe, seek medical attention if you feel unwell. Never give anything by mouth to an unconscious person.
Skin contact:	Prolonged or repeated exposure may cause skin irritation. If on skin, wash with plenty of water. If you feel unwell or irritation develops or persists, get medical attention. Take off contaminated clothing and wash it before reuse.
Symptoms and effects, both acute and delayed:	Aside from the information provided above and below, no additional symptoms and effects are anticipated.
Notes to physician:	No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Skin contact may aggravate pre-existing dermatitis.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective. Do not use direct water stream. May spread fire.
Unusual fire and explosion hazards:	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous thermal decomposition products:	Decomposition products may include the following materials; carbon dioxide, carbon monoxide, nitrogen oxides.
Special precautions for fire fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving personal risk or without suitable training.
Special protective equipment for fire fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Isolate area. Keep unnecessary and unprotected personnel from entering the area. Spilled material may cause a slipping hazard. Use appropriate safety equipment. For additional information, refer to SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION. Refer to SECTION 7 – HANDLING AND STORAGE, for additional precautionary measures.
Environmental precautions:	Prevent from entering into soil, ditches, storm sewers, waterways and/or ground water. See SECTION 12 – ECOLOGICAL INFORMATION for additional information.
Methods for cleaning up:	Contain spilled material; keep from entering soil, surface waters or sewers. <i>Small Spills:</i> Clean up with absorbent and collect absorbent for disposal in accordance with Federal, State or local disposal requirements. <i>Large Spills:</i> Dike or otherwise contain spilled material to insure runoff does not reach a waterway. Collect and drum off material for disposal in accordance with Federal, State or local disposal requirements. Notify local, state or federal authorities if required. Rinse with water. See SECTION 13 – DISPOSAL CONSIDERATIONS and SECTION 15 – REGULATORY REQUIREMENTS for additional information.

7. HANDLING AND STORAGE

Precautions for safe handling:	Avoid contact with skin and eyes. Avoid breathing spray or mist. Wash hands thoroughly after handling. Keep container closed. Promptly clean up spills. See SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION for additional information.
Conditions for safe storage, including incompatibilities:	Keep containers tightly closed. Store locked up. Separate from acids. Protect from freezing; may rupture or degrade product. Store between 40°F (4°C) and 110°F (43°C). The shelf life for unopened containers stored under the above conditions is 60 months from the date on the package.
Recommended packaging materials:	Use original container or clean plastic (polyethylene) containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:	None established (under ACGIH or OSHA.)
Engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants. Provide additional ventilation as necessary to keep airborne concentrations of vapors/mists below threshold limit values. Provide eye wash station within close proximity to product usage.
Eye/Face protection:	Safety glasses with side shields (or chemical goggles) and face shield (if splashing is likely) to prevent eye and face exposure.
Skin protection:	Wear protective gloves/protective clothing as needed to prevent excessive skin contact. Where diluted product is heated to >140°F, wear thermal protective gloves.
Hand protection:	Wear chemical (alkali) resistant, impermeable gloves (nitrile, vinyl or latex of 4 mil thickness or greater) as needed to prevent skin contact. Where diluted product is heated to >140°F, wear thermal protective gloves.
Respiratory protection:	Under intended handling conditions, no respiratory protection is needed.
Personal hygiene:	Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Yellow clear liquid	Vapor pressure @ 20°C	< 0.001* mmHg
		@ 37°C	< 0.001* mmHg
Odor:	Mild detergent odor	Vapor density (air = 1)	Not established
Odor threshold:	Not established	Relative density:	Not established
pH:	12.0 – 12.5	Solubility in water:	Complete
pH at use dilution (4%):	11.0	Partition coefficient:	Not established
Melting point:	Not applicable to liquids	Auto-ignition temperature:	Not established
Freezing point:	26°F (-3 °C)	Decomposition temperature:	Not established
Initial boiling point:	212°F (100°C)	Viscosity @ 20°C:	< 100 cSt
Evaporation rate:	Not established	Liquid density @ 20°C:	1.26 g/cm ³
Flash point:	Not classified	VOC**, undiluted:	0 g/l (0.0 lb./gal)
Flammability:	Non-combustible	use dilution (4%):	0 g/l (0.0 lb./gal)
Flammable limits in air:	Not established	VOC % by weight:	0%

* Absolute (calculated)

** The VOC in this product has a vapor pressure of less than 0.1 mm Hg. Under many jurisdictions, this is classified as a low vapor pressure VOC. This material is **not** listed as a "Hazardous Air Pollutant (HAP)" under the Clean Air Act (CAA) list of volatile or organic hazardous air pollutants.

10. STABILITY AND REACTIVITY

Chemical stability & reactivity:	The product is stable.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid:	No specific data.
Incompatible materials:	Avoid contact with strong acids or strong oxidizers.
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition may produce CO ₂

11. TOXICOLOGICAL INFORMATION

The GHS health hazard classifications have been calculated adhering to GHS guidelines for mixtures. The Acute Toxicity Estimates for this mixture (ATE_{mix}) are representative of these calculations.

Likely routes of exposure: Inhalation X Skin contact X Eye contact X Ingestion _____

Acute Toxicity:

Oral:	Not classified (OSHA HSC 2012)	LD50 ATE _{mix}	> 500 but < 2,500 mg/kg
Dermal:	Not classified	LD50 ATE _{mix}	> 2,500 mg/kg
Inhalation:	No relevant data available.		
Other routes:	Not applicable.		
Skin corrosion/irritation:	Alkaline material, expected to cause skin irritation.		
Serious eye damage/irritation:	Alkaline material, expected to cause serious eye irritation.		
Skin sensitization:	No relevant data available.		
Respiratory sensitizer:	No relevant data available.		

Chronic Toxicity:

Mutagenicity:	No relevant data available.
Carcinogenicity:	No relevant data available.
Teratogenicity:	No known effects or critical hazards
Developmental / Fertility effects:	No known effects or critical hazards

Specific Target Organ Toxicity (STOT)	Single dose:	No relevant data available.
Aspiration hazard:	Repeat exposure:	No relevant data available
		No relevant data available.

12. ECOLOGICAL INFORMATION

The GHS environmental hazard classifications have been calculated adhering to GHS guidelines for mixtures. The Acute Aquatic Toxicity Estimates for this mixture (ATE_{mix}) are representative of these calculations.

Toxicity:

Acute Aquatic Toxicity	Fish	No relevant data available.
	Crustacea	No relevant data available.
	Algae	No relevant data available.
Chronic Aquatic Toxicity		No relevant data available.
Persistence and degradability:		No relevant data available.
Bioaccumulative potential:		No relevant data available.
Mobility in soil:		No relevant data available.

13. DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. Rinse container before disposal. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff with soil and waterways.

RCRA Classification: Unused disposed material is not a RCRA Hazardous Waste.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, State and local waste disposal requirements may be more restrictive or otherwise different from Federal laws and regulations.

14. TRANSPORT INFORMATION

UN Number:	UN 1760	Transportation Hazard Class:	8
UN Proper Shipping Name:	Corrosive liquids, n.o.s.	UN Packing Group:	PG III
ADR (EU Carriage):	Class 8: Corrosive, PG III	RID (Rail)	Class 8 Corrosive, PG III
AND/ADNR (Inland water):	Not available	ICAO/IATA (Air)	Class 8 Corrosive, PG III
IMO/IMDG (Marine):	Class 8: Corrosive		
DOT Shipping Name:	Corrosive Liquid, n.o.s. (contains Silicic Acid, potassium salt) 8, PG III		
HS Tariff Classification (Schedule B)	3402.90.5030		
Special Precautions:	No known special precautions.		

15. REGULATORY INFORMATION

US Federal Regulations

SARA Title III

Section 302 – Extremely Hazardous Substance

This product does not contain chemicals at levels which require reporting under this statute.

Section 302.4 & 304: CERCLA: Hazardous Substances

Releases of this product to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

Sections 311 & 312

Immediate (acute) Health Hazard	Yes
Delayed (chronic) Health Hazard	No
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure	No

Section 313

This product does not contain chemicals at levels which require reporting under this statute.

TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

US State Regulations

Arizona

Maricopa County Rule 331

This product is considered a Low-VOC cleaner.

California

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

This product does not contain any materials currently listed by California as chemicals known to cause cancer or known to have reproductive toxicity under Proposition 65.

BAAQMD

This product meets the requirements of the Bay Area Air Quality Management District Regulation 8, Rule 16.

SCAQMD

This product meets the requirements of South Coast Air Quality Management District (SCAQMD) Rule 1171 for Solvent Cleaning.

Georgia

Rule 391-3-02

At use dilution, this product is greater than 80% water which qualifies this as an "Aqueous Cleaning Solvent". As an "Aqueous Cleaning Solvent" this product is exempt from Rule 391-3-02.

Michigan

Rule R 336.1281 & R 336.1212

The absolute (composite) vapor pressure of this product in either concentrated or diluted form is less than 0.1 mm Hg under standard conditions. Part (e) under R 336.1281 exempts this product from the requirement for a "Permit to Install". The vapor pressure for this product exempts it from the recordkeeping requirements of R 336.1212 as indicated in Part (3)(b) and clarified by MDEQ interoffice communication of July 5, 2011.

Texas

Texas Rule 106.454 – Degreasing Units

Under this rule, this product is classified as a zero VOC product. The true vapor pressure is calculated to be < 0.6 pounds per square inch, absolute (psia) at an operating temperature of 100°F. This product meets the requirements of section (2)(C) for a remote reservoir cleaner and as such Section (1)(A) (i) and (ii) do not apply. Completion of Form PI-7 and monthly record keeping is not required.

International Regulatory Information

Notice: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warrantee, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with their Federal, State/Province, and local laws. The following specific information is made for the purpose of complying with numerous specific foreign regulations.

Country Substance (Chemical) Inventories

Canada	DSL	The individual components of this mixture are listed.
United States	TSCA	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

16. OTHER INFORMATION

HMIS Rating:

Health	2
Flammability	0
Physical Hazards	0

Protective Equipment

NFPA Rating:

Health	2
Flammability	0
Reactivity	0

Special

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Mirachem shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current status of scientific and technical knowledge.

Original Preparation Date: May 1, 2015
Latest Revision Date: January 27, 2023