



# Safety Data Sheet

Formula No: 2102.04  
Revision Date: 2017/10/24  
Superseded Date: 2016/08/29

## Mirachem Alkaline Powder HD (Use Dilution)

### 1. IDENTIFICATION OF SUBSTANCE / PREPARATION AND OF THE COMPANY

Product name: Mirachem Alkaline Powder HD (Use Dilution)  
Identified uses: Use dilution of industrial cleaner for use in industrial parts washers.  
Use restrictions: Use only for the purposes indicated on the label.

Company: Mirachem, LLC  
P.O. Box 14059  
Phoenix, Arizona 85063-4059  
USA

Email address: [SDS@mirachem.com](mailto:SDS@mirachem.com)  
Customer service: USA (English) Telephone: 1 (800) 847-3527

Emergency phone number(s): USA (English, Business Hours) Telephone: 1 (800) 847-3527  
Chemtrec (US, 24 hours) Telephone: 1 (800) 424-9300

### 2. HAZARD(S) IDENTIFICATION

#### GHS Classification

SKIN CORROSION / IRRITATION  
EYE DAMAGE / IRRITATION

Category 1A  
Category 1

#### GHS Label Elements

Pictogram



Signal word

Danger

Hazard statements

Causes severe skin burns and eye damage. (H314)

#### Precautionary Statements

Prevention:

Do not breathe dust/fume/mist. (P260)  
Wash hands thoroughly after handling. (P264)  
Wear protective gloves/protective clothing/eye protection/face protection. (P280)

Response:

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301 + P330 + P331) Call a POISON Center/doctor if you feel unwell. (P312)  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. (P303 + P361 + P353) Wash contaminated clothing before reuse. (P363)  
IF INHALED: Remove person to fresh air and keep comfortable for breathing. (P304 + P340) Immediately call POISON CENTER/doctor. (P310)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305 + P351 + P338)

Storage:

Store locked up. (P405)

Disposal:

Dispose of contents/container in accordance with local, regional/national/international regulations. (P501) See SECTION 13 – DISPOSAL CONSIDERATIONS, for additional waste disposal information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Chemical characterization:** Mixture (anhydrous powder)

<b>Ingredient:</b>	<b>CAS Number</b>	<b>Percent</b>	<b>Classification (GHS-US)</b>		
Sodium Carbonate	497-19-8	< 2	Skin Corrosion	1A	H314
			Eye Damage	1	H318
Sodium Metasilicate	6834-92-0	< 2	Skin Corrosion	1A	H314
			Eye Damage	1	H318
			STOT SE	3	H335
Oxirane, Methyl-, Polymer	9003-11-6	< 0.5	Skin Irritation	2	H315
			Eye Irritation	2A	H319
			Acute Aquatic	3	H402
Diethylene Glycol Mono-Butyl Ether	112-34-5	< 0.5	Eye irritation	2A	H319

### 4. FIRST AID MEASURES

Protection of First-Aiders:	First aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection). If potential for exposure exists refer to SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION, for specific personal protective equipment.
Inhalation:	Spray mist may be irritating. Remove to fresh air. If breathing difficulty or irritation is severe or continues, immediately call for medical advice or assistance.
Eye contact:	May cause serious eye damage. Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately seek medical attention.
Ingestion:	If swallowed, rinse mouth with water. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Never give anything by mouth to an unconscious person.
Skin contact:	Skin exposure may cause severe irritation or burns. If on skin, immediately wash skin with plenty of water. Take off contaminated clothing and wash before reuse. If irritation develops, persists or is severe, immediately contact POISON CENTER or seek medical attention.
Symptoms and effects, both acute and delayed:	Aside from the information provided above and below, no additional symptoms and effects are anticipated.
Notes to physician:	No specific antidote. Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient. Skin contact may aggravate pre-existing dermatitis.

### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	Water fog or fine spray. Dry chemical fire extinguishers. Carbon dioxide fire extinguishers. Foam. Alcohol resistant foams (ATC type) are preferred. General purpose synthetic foams (including AFFF) or protein foams may function, but will be less effective. Do not use direct water stream. May spread fire.
Unusual fire and explosion hazards:	Not applicable.
Hazardous thermal decomposition products:	Decomposition products may include the following materials; carbon dioxide, carbon monoxide, nitrogen oxides. Generates corrosive vapors.
Special precautions for fire fighters:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving personal risk or without suitable training. Prevent fire-fighting water from entering environment.
Special protective equipment for fire fighters:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Isolate area. Keep unnecessary and unprotected personnel from entering the area. Do not touch or walk through spilled material. Wear safety glasses with side shields or chemical goggles, protective clothing, chemical resistant gloves, and rubber boots. Spilled material may cause a slipping hazard. For additional information, refer to SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION. Refer to SECTION 7 – HANDLING AND STORAGE, for additional precautionary measures.
Environmental precautions:	Prevent from entering into soil, ditches, sewers, waterways and/or ground water. See SECTION 12 – ECOLOGICAL INFORMATION for additional information.
Methods for cleaning up:	Sweep or shovel into suitable containers. Minimize generation of dust. Store away from other materials. Dispose of in accordance with Local, State and Federal regulations. See SECTION 13 – DISPOSAL CONSIDERATIONS and SECTION 15 – REGULATORY REQUIREMENTS for additional information.

## 7. HANDLING AND STORAGE

Precautions for safe handling:	Avoid contact with skin, eyes, clothing or shoes. Avoid breathing spray or mist. Do not swallow. Wash hands thoroughly after handling. Keep container closed. Promptly clean up spills. See SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION for additional information.
Conditions for safe storage, including incompatibilities:	Keep containers closed. Separate from acids, reactive metals, and ammonium salts. Store between 40°F (4°C) and 110°F (43°C).
Recommended packaging materials:	Do not store in aluminum, fiberglass, or galvanized containers. Keep out of reach of children.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:	Diethylene Glycol Mono-Butyl Ether	CAS No.:	112-34-5
	ACGIH	TWA	10 ppm
		STEL	10 ppm
	OSHA	Not applicable	
Engineering controls:	Good ventilation should be sufficient to control worker exposure to airborne contaminants. Provide additional ventilation as necessary to keep airborne concentrations of dusts/vapors/mists below threshold limit values. Provide eye wash station within close proximity to product usage.		
Eye/Face protection:	Safety glasses with side shields (or chemical goggles) and face shield (if splashing is likely) to prevent eye and face exposure.		
Skin protection:	Wear protective gloves/protective clothing as needed to prevent skin contact. Where diluted product is heated to >140°F, wear thermal protective gloves.		
Hand protection:	Wear chemical (alkali) resistant, impermeable gloves (nitrile, vinyl or latex of 4 mil thickness or greater) as needed to prevent skin contact. Where diluted product is heated to >140°F, wear thermal protective gloves.		
Respiratory protection:	Under intended handling conditions, no respiratory protection should be needed. Do not breathe dusts or mists. Use NIOSH or MSHA approved respirator where conditions may cause exposure limits to be exceeded.		
Personal hygiene:	Use good personal hygiene. Do not consume or store food in the work area. Wash hands before smoking or eating.		

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>Appearance:</b>	Water white to light yellow liquid	<b>Vapor pressure @ 20°C @ 37°C</b>	Not applicable Not applicable
<b>Odor:</b>	Essentially odorless	<b>Vapor density (air = 1)</b>	Not applicable
<b>Odor threshold:</b>	Not available	<b>Relative density:</b>	Not established
<b>pH:</b>	12.0 – 12.4 (4% in water)	<b>Solubility in water:</b>	Complete
<b>Melting point:</b>	Not applicable	<b>Partition coefficient:</b>	Not established
<b>Freezing point:</b>	Not applicable	<b>Auto-ignition temperature:</b>	Not established
<b>Initial boiling point:</b>	Not applicable	<b>Decomposition temperature:</b>	Not established
<b>Evaporation rate:</b>	Not established	<b>Viscosity @ 20°C:</b>	Not applicable
<b>Flash point:</b>	Not established	<b>Liquid density @ 20°C:</b>	Not applicable
<b>Flammability:</b>	Not classified	<b>VOC</b>	< 0.01g/l

## 10. STABILITY AND REACTIVITY

Chemical stability & reactivity:	The product is stable. Thermal decomposition generates corrosive vapors.
Possibility of hazardous reactions:	Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid:	Direct sunlight. Extremely low and high temperatures.
Incompatible materials:	Avoid contact with strong acids and strong bases.
Hazardous decomposition products:	Under normal conditions of storage and use, hazardous decomposition products should not be produced. Thermal decomposition generates corrosive vapors.

## 11. TOXICOLOGICAL INFORMATION

The GHS health hazard classifications have been calculated adhering to GHS guidelines for mixtures. The Acute Toxicity Estimates for this mixture (ATE<sub>mix</sub>) are representative of these calculations.

Likely routes of exposure: Inhalation   X   Skin contact   X   Eye contact   X   Ingestion   X  

### Acute Toxicity:

Oral:	Not classified (OSHA HCS 2012)	LD <sub>50</sub> ATE <sub>mix</sub>	> 500 but < 2,500 mg/kg
Dermal:	Not classified	LD <sub>50</sub> ATE <sub>mix</sub>	> 2500 mg/kg
Inhalation:	No relevant data available.		
Other routes:	Not applicable.		

Skin corrosion/irritation:	Highly alkaline, expected to be corrosive to skin.
Serious eye damage/irritation:	Highly alkaline, expected to cause serious damage or burns to eyes.
Skin sensitization:	No component of this mixture is known to be a skin sensitizer.
Respiratory sensitizer:	No relevant data available.

### Chronic Toxicity:

Mutagenicity:	No component of this mixture is known to be a mutagen or genotoxin.		
Carcinogenicity:	No component of this mixture is listed by IARC, NTP, OSHA, or ACGIH as a carcinogen.		
Teratogenicity:	No component in this mixture is known to be a teratogen.		
Developmental / Fertility effects:	No known significant effects or critical hazards.		

Specific Target Organ Toxicity (STOT)	Single dose:	No relevant data available.
	Repeat exposure:	No relevant data available.
Aspiration hazard:	No relevant data available.	

## 12. ECOLOGICAL INFORMATION

The GHS environmental hazard classifications have been calculated adhering to GHS guidelines for mixtures. The Acute Aquatic Toxicity Estimates for this mixture (ATE<sub>mix</sub>) are representative of these calculations.

### Toxicity:

Acute Aquatic Toxicity	Fish	Not classified	EC <sub>50</sub> ATE <sub>mix</sub>	> 100 mg/l
	Crustacea	Not classified	EC <sub>50</sub> ATE <sub>mix</sub>	> 100 mg/l
	Algae	No relevant data available.		
Chronic Aquatic Toxicity	No relevant data available.			
Persistence and degradability:	The individual components of this mixture are biodegradable.			
Bioaccumulative potential:	No relevant data available.			
Mobility in soil:	No relevant data available.			

## 13. DISPOSAL CONSIDERATIONS

The generation of waste should be avoided or minimized wherever possible. Empty containers may retain some product residues. Rinse container before disposal. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilled material and runoff with soil and waterways.

RCRA Classification: Unused disposed material is **not** a RCRA Hazardous Waste.

Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, State and local waste disposal requirements may be more restrictive or otherwise different from Federal laws and regulations.

## 14. TRANSPORT INFORMATION

UN Number:	UN 3253	Transportation Hazard Class:	8
UN Proper Shipping Name:	Disodium Trioxosilicate, Mixture	UN Packing Group:	PG III
ADR (EU Carriage):	Class 8: Corrosive, PG III	RID (Rail)	Class 8: Corrosive, PG III
AND/ADNR (Inland water):	Not available	ICAO/IATA (Air)	Class 8: Corrosive
IMO/IMDG (Marine):	Class 8: Corrosive		
DOT Shipping Name:	UN 3253 Disodium Trioxosilicate, Mixture, 8, PG III		
NMFC Freight Class:	Cleaning Compound NOI, 048580 Sub 3, Class 55		
HS Tariff Classification (Schedule B)	3403.19.50		
Special Precautions:	No known special precautions.		

## 15. REGULATORY INFORMATION

### US Federal Regulations

#### SARA Title III

Section 302 – Extremely Hazardous Substance

This product does not contain chemicals at levels which require reporting under this statute.

Section 302.4 & 304: CERCLA: Hazardous Substances

Releases of this product to air, land, or water are reportable to the National Response Center under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.

Sections 311 & 312

Immediate (acute) Health Hazard	Yes
Delayed (chronic) Health Hazard	No
Fire Hazard	No
Reactive Hazard	No
Sudden Release of Pressure	No

Section 313

This product contains the following chemicals, which are listed in Section 313 (40 CFR 372.65) at or above de minimis concentrations.

Diethylene glycol mono butyl ether	CAS# 112-34-5	1.4%
------------------------------------	---------------	------

#### TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

### US State Regulations

#### **California**

California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)

This product does not contain any materials currently listed by California as chemicals known to cause cancer or known to have reproductive toxicity under Proposition 65.

#### **Pennsylvania**

Hazardous Substances List

This product does not contain a chemical listed as an environmental hazard that may require reporting.

### International Regulatory Information

Notice: The information herein is presented in good faith and believed to be accurate as of the effective date shown above. However, no warrantee, express or implied is given. Regulatory requirements are subject to change and may differ from one location to another; it is the buyer's responsibility to ensure that its activities comply with their Federal, State/Province, and local laws. The following specific information is made for the purpose of complying with numerous specific foreign regulations.

#### **Country Substance (Chemical) Inventories**

Canada

DSL

The individual components of this mixture are listed.

United States

TSCA

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

16. OTHER INFORMATION

**HMIS Rating:**

Health	2
Flammability	0
Physical Hazards	0

Protective Equipment

**NFPA Rating:**

Health	2
Flammability	0
Reactivity	0

Special

All information and instructions provided in this Safety Data Sheet (SDS) are based on the current state of scientific and technical knowledge at the date indicated on the present SDS. Mirachem shall not be held responsible for any defect in the product covered by this SDS, should the existence of such defect not be detectable considering the current status of scientific and technical knowledge.

Original Preparation Date: May 1, 2015  
Latest Revision Date: October 24, 2017